

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area 41 (SANTA BARBARA DIVISION)

Low Response

ENGINE (1):	E338LPF4X4
PATROLS (1):	PAT41LPF Q
OVERHEAD (1):	BC42LPF

Moderate Response

AIR ATTACK (1):	AA07LPF
HELICOPTER (1):	HEL528LPF
ENGINE (2):	E47LPF 4X4, E41LPF
DOZER (1):	DOZ4LPF
WATER TENDER (1):	WT4LPF
CREWS (1):	CRW4LPF
PATROLS (1):	PAT42LPF
OVERHEAD (1):	DIV4LPF

High Response

HELICOPTER (1):	HEL527LPF
HELITANKER (1):	HT699
ENGINE (2):	E342LPF 4X, E343LPF
ENGINE CHUMASH (1):	E801CHU
DOZER (1):	DOZ3LPF
WATER TENDER (1):	WT3LPF
CREWS (1):	CRW3LPF
PATROL CHUMASH (1):	BR802CHU

2nd Alarm

ENGINE (5):	E46LPF, E44LPF, E335LPF, E51LPF, E352LPF
OVERHEAD (1):	BC41LPF

MA Response w/ FS DPA

4th Alarm

-LPF DPA

-Command Net: Forest 164.9125 tx 170.4625 rx plus Tone ____ OR Admin. Net 164.1500 tx 171.5500 rx plus Tone ____

-A/T = 168.3125 primary, 169.1750 secondary, A/G = 167.475, VHF = based on ATB zone of Influence

-Tactical NIFC TAC3 (R5 Crew Net) 170.4750 tx and rx

-IFR Military Training Route (200D-200DA

-IFR Military Training Route (200C-200D)

-IFR 200- PT. MUGU 805-989-7358

-Major Transmission lines

-On LOW order from SBC: 2 (T3) Eng, 1 Doz, 1 WT, 1 CO - Limit to 1 eng after 2100 hrs.

- On LOW order from Chumash 1 CO 1 T3 Engine 1 T6 Engine
- Order AFV Fire Suppression Module for fires in main Division.
- Order a Resource Advisor after clearing with IC
- From STB, LPF can request up to (2) T2 Engines for specific CD locations
- Request SBC units stage @ Cachuma Saddle or Upper Oso
- SBC responses will be limited to 1 engine between 9pm-9am
- AFV will have the option of sending a SOFR when their resources are mobilized to a LPF Incident
- Upon request, AFV will provide a Task Force = 1 TFL, 1 4X4 T2 Engine, 1 T3 Engine, 1 WT (5,000 gal)
- Private lands w/in FS DPA where fire ignition began require Co. Fire be notified and send FINV.
- Prompt IC to determine if he/she needs logistical support or have they arranged for it already. If so, who is performing logistics for the incident.
- The resource dispatched has been determined to be a benefit to the using agency with the GAAC's approval taking into consideration mission requirements, days off and/or anticipated needs.

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area 42 (SANTA BARBARA DIVISION)

Low Response

ENGINE (1):	E342LPF 4X
PATROLS (1):	PAT42LPF
OVERHEAD (1):	BC42LPF

Moderate Response

AIR ATTACK (1):	AA07LPF
HELICOPTER (1):	HEL528LPF
ENGINE (2):	E343LPF, E41LPF
DOZER (1):	DOZ4LPF
WATER TENDER (1):	WT4LPF
CREWS (1):	CRW4LPF
PATROLS (1):	PAT41LPF Q
OVERHEAD (1):	DIV4LPF

High Response

HELICOPTER (1):	HEL527LPF
HELITANKER (1):	HT699
ENGINE (2):	E47LPF 4X4, E46LPF
ENGINE CHUMASH (1):	E801CHU
DOZER (1):	DOZ3LPF
WATER TENDER (1):	WT5LPF
CREWS (1):	CRW3LPF
PATROL CHUMASH (1):	BR802CHU

2nd Alarm

ENGINE (5):	E44LPF, E338LPF4X4, E51LPF, E352LPF, E335LPF
OVERHEAD (1):	BC41LPF

MA Response w/ FS DPA

4th Alarm

-LPF DPA

-Command Net: Forest 164.9125 tx 170.4625 rx plus Tone ____ OR Admin. Net 164.1500 tx 171.5500 rx plus Tone ____

-A/T = 168.3125 primary, 169.1750 secondary, A/G = 167.475, VHF = based on ATB zone of Influence

-Tactical NIFC TAC3 (R5 Crew Net) 170.4750 tx and rx

-IFR Military Training Route (200DA-200DB)

-IFR Military Training Route (200D-200DA)

-IFR 200- PT. MUGU 805-989-7358

-CAUTION: Powerlines in Area

-Major Transmission lines

- Power Transmission Pylon
- Tower (Non-Communication)
- Sensitive Wildlife Areas
- On LOW order from STB: 1 T3 Engine, 1 CO
- On LOW order from MTO: 1 (T3) eng, 1 CO, 1 Fire Investigator
- On LOW order from SBC: 3 (T3) eng, 1 Doz, 1 WT, 1 CO
- On LOW order from Chumash 1 CO 1 T3 Engine 1 T6 Engine
- Order AFV Fire Suppression Module for fires in main Division.
- Order a Resource Advisor after clearing with IC
- SBC responses will be limited to 1 engine between 9pm-9am
- Request SBC units stage @ Cachuma Saddle or Upper Oso
- Upon request, AFV will provide a Task Force = 1 TFL, 1 4X4 T2 Engine, 1 T3 Engine, 1 WT (5,000 gal)
- AFV will have the option of sending a SOFR when their resources are mobilized to a LPF Incident
- From STB, LPF can request up to (2) T2 Engines for specific CD locations
- Private lands w/in FS DPA where fire ignition began require Co. Fire be notified and send FINV.
- Prompt IC to determine if he/she needs logistical support or have they arranged for it already. If so, who is performing logistics for the incident.
- The resource dispatched has been determined to be a benefit to the using agency with the GAAC's approval taking into consideration mission requirements, days off and/or anticipated needs.

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area 43 (SANTA BARBARA DIVISION)

Low Response

ENGINE (1):	E372LPF
PATROLS (1):	PAT75LPF
OVERHEAD (1):	BC72LPF

Moderate Response

AIR ATTACK (1):	AA07LPF
HELICOPTER (1):	HEL528LPF
ENGINE (2):	E55LPF, E37LPF
DOZER (1):	DOZ3LPF
WATER TENDER (1):	WT5LPF
CREWS (1):	CRW3LPF
PATROLS (1):	PAT73LPF Q
OVERHEAD (1):	BC71LPF

High Response

HELICOPTER (1):	HEL530LPF
HELITANKER (1):	HT699
ENGINE (2):	E371LPF 4X, E375LPF
DOZER (1):	DOZ4LPF
WATER TENDER (1):	WT3LPF
CREWS (1):	CRW4LPF

2nd Alarm

ENGINE (5):	E73LPF 4X4, E352LPF, E51LPF, E335LPF, E44LPF
OVERHEAD (1):	DIV7LPF

MA Response w/ FS DPA

4th Alarm

- LPF DPA
- Command Net: Forest 164.9125 tx 170.4625 rx plus Tone ____ OR Admin. Net 164.1500 tx 171.5500 rx plus Tone ____
- A/T = 168.3125 primary, 169.1750 secondary, A/G = 167.475, VHF = based on ATB zone of influence
- Tactical NIFC TAC3 (R5 Crew Net) 170.4750 tx and rx
- ~~-IFR Military Training Route (200DA-200DB)~~
- IFR 200- PT. MUGU 805-989-7358
- On LOW order from SBC: 2 (T3) Eng, 1 Doz, 1 WT, 1 CO - Limit to 1 eng after 2100 hrs.
- Sensitive Wildlife Areas
- Order AFV Fire Suppression Module for fires in main Division.
- Order a Resource Advisor after clearing with IC
- SBC responses will be limited to 1 engine between 9pm-9am

- Upon request, AFV will provide a Task Force = 1 TFL, 1 4X4 T2 Engine, 1 T3 Engine, 1 WT (5,000 gal)
- AFV will have the option of sending a SOFR when their resources are mobilized to a LPF Incident
- From STB, LPF can request up to (2) T2 Engines for specific CD locations
- Private lands w/in FS DPA where fire ignition began require Co. Fire be notified and send FINV.
- Prompt IC to determine if he/she needs logistical support or have they arranged for it already. If so, who is performing logistics for the incident.
- The resource dispatched has been determined to be a benefit to the using agency with the GAAC's approval taking into consideration mission requirements, days off and/or anticipated needs.

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area 44 (SANTA BARBARA DIVISION)

Low Response

ENGINE (1):	E46LPF
PATROLS (1):	PAT44LPF F
OVERHEAD (1):	BC42LPF

Moderate Response

AIR ATTACK (1):	AA07LPF
HELICOPTER (1):	HEL528LPF
ENGINE (2):	E44LPF, E41LPF
DOZER (1):	DOZ4LPF
WATER TENDER (1):	WT4LPF
CREWS (1):	CRW4LPF
PATROLS (1):	PAT41LPF Q
OVERHEAD (1):	DIV4LPF

High Response

HELICOPTER (1):	HEL527LPF
HELITANKER (1):	HT699
ENGINE (2):	E343LPF, E342LPF 4X
DOZER (1):	DOZ3LPF
WATER TENDER (1):	WT5LPF
CREWS (1):	CRW3LPF

2nd Alarm

ENGINE (5):	E47LPF 4X4, E338LPF4X4, E51LPF, E352LPF, E55LPF
OVERHEAD (1):	BC41LPF

MA Response w/ FS DPA

4th Alarm

- LPF DPA
- Command Net: Forest 164.9125 tx 170.4625 rx plus Tone ____ OR Admin. Net 164.1500 tx 171.5500 rx plus Tone ____
- A/T = 168.3125 primary, 169.1750 secondary, A/G = 167.475, VHF = based on ATB zone of influence
- Tactical NIFC TAC3 (R5 Crew Net) 170.4750 tx and rx
- ~~-CAUTION: Powerlines & Hanglider activity in area~~
- Major Transmission lines
- Power Transmission Pylon
- On LOW order from SBC: 2 (T3) Eng, 1 Doz, 1 WT, 1 CO - Limit to 1 eng after 2100 hrs.
- On LOW order from MTO: 1 (T3) eng, 1 CO, 1 Fire Investigator
- On LOW order from STB: 1 T3 Engine, 1 CO
- On LOW order from Chumash 1 CO 1 T3 Engine 1 T6 Engine

- Order AFV Fire Suppression Module for fires in main Division.
- Order a Resource Advisor after clearing with IC
- SBC responses will be limited to 1 engine between 9pm-9am
- Upon request, AFV will provide a Task Force = 1 TFL, 1 4X4 T2 Engine, 1 T3 Engine, 1 WT (5,000 gal)
- AFV will have the option of sending a SOFR when their resources are mobilized to a LPF Incident
- From STB, LPF can request up to (2) T2 Engines for specific CD locations
- Private lands w/in FS DPA where fire ignition began require Co. Fire be notified and send FINV.
- If using Lake Casitas to obtain water, contact 805-649-2233 ext.7 Park Services Manager.
- Prompt IC to determine if he/she needs logistical support or have they arranged for it already. If so, who is performing logistics for the incident.
- On LOW order from CRP 1 T2 or T3 Eng., 1 CO, 1 Fire Investigator
- The resource dispatched has been determined to be a benefit to the using agency with the GAAC's approval taking into consideration mission requirements, days off and/or anticipated needs.

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area 45 (SANTA BARBARA DIVISION)

Low Response

ENGINE (1):	E41LPF
PATROLS (1):	PAT41LPF Q
OVERHEAD (1):	BC41LPF

Moderate Response

AIR ATTACK (1):	AA07LPF
HELICOPTER (1):	HEL528LPF
ENGINE (2):	E342LPF 4X, E343LPF
DOZER (1):	DOZ4LPF
WATER TENDER (1):	WT4LPF
CREWS (1):	CRW4LPF
PATROLS (1):	PAT42LPF
OVERHEAD (1):	BC42LPF

High Response

HELICOPTER (1):	HEL527LPF
HELITANKER (1):	HT699
ENGINE (2):	E47LPF 4X4, E46LPF
ENGINE CHUMASH (1):	E801CHU
DOZER (1):	DOZ3LPF
WATER TENDER (1):	WT5LPF
CREWS (1):	CRW3LPF
PATROL CHUMASH (1):	BR802CHU

2nd Alarm

ENGINE (5):	E44LPF, E338LPF4X4, E51LPF, E352LPF, E335LPF
OVERHEAD (1):	DIV4LPF

MA Response w/ FS DPA

4th Alarm

-LPF DPA

-Command Net: Forest 164.9125 tx 170.4625 rx plus Tone ____ OR Admin. Net 164.1500 tx 171.5500 rx plus Tone ____

-A/T = 168.3125 primary, 169.1750 secondary, A/G = 167.475, VHF = based on ATB zone of Influence

-Tactical NIFC TAC3 (R5 Crew Net) 170.4750 tx and rx

-CAUTION: Powerlines & Hanglider activity in area

-Major Transmission lines

-Power Transmission Pylon

-On LOW order from SBC: 3 (T3) eng, 1 Doz, 1 WT, 1 CO

-On LOW order from STB: 1 T3 Engine, 1 CO

- On LOW order from Chumash 1 CO 1 T3 Engine 1 T6 Engine
- On LOW order from MTO: 1 (T3) eng, 1 CO, 1 Fire Investigator
- Order AFV Fire Suppression Module for fires in main Division.
- Order a Resource Advisor after clearing with IC
- Dozer on tiltbed on ocean side of Refugio Rd. Unload at base of road on interior side.
- Dozer transport recommended tiltbed for Kenivan Rd. and West Camino Cielo
- SBC responses will be limited to 1 engine between 9pm-9am
- Upon request, AFV will provide a Task Force = 1 TFL, 1 4X4 T2 Engine, 1 T3 Engine, 1 WT (5,000 gal)
- AFV will have the option of sending a SOFR when their resources are mobilized to a LPF Incident
- From STB, LPF can request up to (2) T2 Engines for specific CD locations
- Contact Alisal Ranch at 805-688-6411. Advise Manager we will be using their lake for helicopter use.
- Private lands w/in FS DPA where fire ignition began require Co. Fire be notified and send FINV.
- Prompt IC to determine if he/she needs logistical support or have they arranged for it already. If so, who is performing logistics for the incident.
- The resource dispatched has been determined to be a benefit to the using agency with the GAAC's approval taking into consideration mission requirements, days off and/or anticipated needs.